

Producto: **Filtro Aster con válvula TOP**

Product: **Aster Filter with TOP valve**

Comercial
LLINÁS
Materiales para construir y decorar.



- . Construidos con resinas de poliéster y fibra de vidrio.
- . Excelente acabado.
- . Tapa en plástico de gran diámetro.
- . Montado con colectores de 1" y difusor de material plástico inalterable.
- . Equipado con manómetro, purga de agua manual, purga de aire automática y manual.
- . Conexiones para válvula TOP de seis vías con operaciones de filtración, lavado, enjuague, recirculación, vaciado y cerrado.
- . Presión máxima de trabajo: 2,5 Kg/cm2.

- . Made of polyester resins and glass fibre.
- . Excellent finish.
- . Plastic lid large diameter.
- . Fitted with 1" collector arms and diffuser made from unplasticised.
- . Fitted with pressure gauge, manual water drain cock, automatic and manual air vent cock.
- . Multiport TOP valve with six positions filter, backwash, rinse, recirculate, waste and closed.
- . Maximum working pressure of 2,5 Kg/cm2

Producto: **Filtro Aster con válvula lateral**

 Product: **Aster Filter with TOP valve**
CARACTERÍSTICAS / CHARACTERISTICS

| Tabla 1 | Filtro Aster 2,5 Kg/cm2 Aster Filter 2,5 Kg/cm2 | | | | |
|---|--|-------|-------|-------|-------|
| Código <i>Code</i> | 30768 | 30769 | 30770 | 35586 | 30771 |
| Ø (mm) | 350 | 450 | 500 | 550 | 600 |
| Conexión (mm) <i>Connections (inch)</i> | 1 ½" | | | | |
| Velocidad de filtración (m3/h/m2) <i>Filtering velocity (m3/h/m2)</i> | 50 | | | | |
| Sup. Filtración (m2) <i>Filtration Area (m2)</i> | 0,096 | 0,159 | 0,196 | 0,238 | 0,283 |
| Caudal (m³/h) <i>Flow (m³/h)</i> | 5 | 8 | 9 | 11,5 | 14 |
| Presión servicio (kg) <i>Working pressure (bar)</i> | 2,5 | | | | |
| Carga arena (0,4-0,8mm) <i>Sand (0,4-0,8mm)</i> | 50 | 70 | 90 | 110 | 125 |
| Peso Neto (kg) <i>Net weight (kg)</i> | 10 | 18 | 20 | 23 | 25 |
| Piscina (m3) <i>Swimming Pool (m3)</i> | 40 | 64 | 72 | 92 | 112 |

Producto: **Filtro Aster con válvula TOP**

 Product: **Aster Filter with TOP valve**
CARACTERÍSTICAS / CHARACTERISTICS

| Tabla 2 | Filtro Aster 2,5 Kg/cm2 Aster Filter 2,5 Kg/cm2 | | | | |
|---|--|-------|-------|-------|-------|
| Código <i>Code</i> | 30772 | 42013 | 33847 | 42014 | 33848 |
| Ø (mm) | 650 | 680 | 750 | 800 | 900 |
| Conexión (mm) <i>Connections (inch)</i> | 1 ½" | | 2" | | |
| Velocidad de filtración (m3/h/m2) <i>Filtering velocity (m3/h/m2)</i> | 50 | | | | |
| Sup. Filtración (m2) <i>Filtration Area (m2)</i> | 0,332 | 0,363 | 0,442 | 0,503 | 0,636 |
| Caudal (m³/h) <i>Flow (m³/h)</i> | 15 | 18 | 21 | 25 | 30 |
| Presión servicio (kg) <i>Working pressure (bar)</i> | 2,5 | | | | |
| Carga arena (0,4-0,8mm) <i>Sand (0,4-0,8mm)</i> | 230 | 240 | 305 | 325 | 515 |
| Peso Neto (kg) <i>Net weight (kg)</i> | 26 | 28 | 33 | 40 | 50 |
| Piscina (m3) <i>Swimming Pool (m3)</i> | 120 | 144 | 168 | 200 | 240 |

Producto: **Filtro Aster con válvula TOP**Product: **Aster Filter with TOP valve****EMBALAGE / PACKAGING**

| Model MODELO | Box dimension / Dimensiones (m) | Volume (m³) Volumen (m³) |
|-------------------------|--|---|
| 30768 | 0,39x0,39x0,76 | 0,11 |
| 30769 | 0,52x0,52x0,78 | 0,21 |
| 30770 | 0,56x0,56x0,85 | 0,26 |
| 35586 | 0,56x0,56x0,85 | 0,26 |
| 30771 | 0,66x0,66x0,86 | 0,37 |
| 30772 | 0,7x0,7x0,89 | 0,43 |
| 42013 | 0,7x0,7x0,89 | 0,43 |
| 33847 | 0,8x0,8x0,93 | 0,60 |
| 42014 | 0,8x0,8x0,93 | 0,60 |
| 33848 | 0,98x0,98x1,3 | 1,25 |

| Código | Ø | D (mm) | H (mm) | M (mm) | N (mm) | K (mm) |
|--------|-----|----------|----------|----------|----------|----------|
| 30768 | 350 | 375 | 990 | 800 | 730 | 1 ½" |
| 30769 | 450 | 480 | 1005 | 815 | 745 | |
| 30770 | 500 | 630 | 1015 | 825 | 755 | |
| 35586 | 550 | 575 | 1035 | 845 | 775 | |
| 30771 | 600 | 630 | 1060 | 870 | 800 | |
| 30772 | 650 | 680 | 1115 | 925 | 855 | |
| 42013 | 680 | 680 | 1125 | 935 | 865 | 2" |
| 33847 | 750 | 790 | 1235 | 1025 | 950 | |
| 42014 | 800 | 815 | 1210 | 1000 | 925 | |
| 33848 | 900 | 940 | 1300 | 1090 | 1015 | |

